

Subject Index

A

- Aboriginal boys, 209–227
 - genetic differences, 226
- Absorption
 - definition, 41–42
 - measurement techniques, 42–45, 75–85
 - and trace element metabolism, 107–110
- Acetazolamide, 127
- Acquired zinc deficiency, 2
- Acrodermatitis enteropathica, 2, 11, 18, 137–138
- Air contamination, lead, 232–236
- Albumin, and plasma zinc, 104
- Alcoholism, and zinc, pregnancy, 145
- Alkaline phosphatase, 21, 35
- Amino acids, and bioavailability, 47–48
- Amniotic fluid, 144, 147
- Anencephaly, 138
- Anion species, absorption, 107–110
- Antibody-dependent cell-mediated cytotoxicity, 91–92
- Apparent absorption, 42
- Arginine, and tibial zinc, 48
- Arrhythmias, copper deficiency, 4
- Arsenic
 - immune system effect, 98
 - pediatric aspects, 242–261
- Ascorbic acid, 48–49
- Ataxia, 123
- Autoantibodies, 93

B

- Balance techniques, 46–47, 69–77
 - application, 69–77
 - common-pool absorption assumption, 70–71
 - and dietary enrichment, 73–74
 - homeostasis assumption, excretion, 112, 117
- Behavior; *see also* Central nervous system
 - iron and zinc deficiency, 3
 - and prenatal zinc deficiency, 123, 135
- Bioavailability, 41–62; *see also* Absorption
 - definition, 42, 59–60
 - measurement techniques, 45–47
- Birth weight; *see also* Very low birth weight and maternal plasma zinc, 126, 142–143
 - serum copper influence, 146
- Blacks
 - genetic differences, 226–227
 - lead levels, 230–231

- Body composition, 209–227
- Boron deficiency, 98
- Brain effects, 135
- Bran, iron-absorption effect, 49–50
- Breast milk, 157–174
 - and dietary intake, 149
 - lead levels, 234, 259
 - trace elements in, 157–174
- Bromine isotope, 78

C

- Cadmium
 - immune-system effects, 98
 - iron and copper interaction, 53
 - pediatric aspects, 229–261
 - zinc interactions, 54
- Calcium
 - fecal excretion plots, 71–73
 - isotope whole-body content, age, 78
 - premature infant absorption, 75–77
 - and trace element bioavailability, 49
- Cancer, 103
- Canned foods, lead, 232–234
- Carbohydrates
 - chromium effect, pregnancy, 148
 - maternal manganese deficiency, 122
 - trace element effects, diet, 48
- Carboxypeptidase, 21
- Cardiomyopathy, 4, 30, 269, 283, 289
- Cationic elements, 107–110
- Celiac disease, 19
- Cell mass, 213–215, 223
- Cell-mediated immunity
 - selenium deficiency, 96
 - zinc deficiency, 89–92
- Cell membrane, 22
- Central nervous system
 - arsenic, 246–247
 - lead effects, 241
 - trace element deficiencies, 3, 20
- China, Keshan disease, 269, 273–290
- Chloride, 78
- Chlorothiazide, 18
- Chromium, 263–264
 - in human milk and formulas, 158, 165–166
 - intermediary metabolism, 110–111
 - pregnancy, humans, 148
 - recommended dietary intake, 161–166

- Chromium deficiency, 263–264
 biochemistry, 29
 clinical manifestations, 3,29
 etiology, 28–29
 human pregnancy, 148
 in malnutrition, 202
- Cobalt
 immune-system effects, 97–98
 intermediary metabolism, 110
 iron interaction, absorption, 53
- Coffee, and iron absorption, 50
- Committee on Nutrition of the American Academy of Pediatrics, 158–159,163
- Common-pool assumption, 70–71
- Congenital ataxia, 123
- Congenital malformations; *see also* Fetal development
 zinc deficiency, 20,121–123,131,138–139
- Copper
 carbohydrate effect, 48
 genetic differences, plasma levels, 226
 in human milk and formulas, 158,161–162
 in human pregnancy, 145–147
 immune system modulation, 94–96
 iron interaction, 52–53,60,62
 isotopes of, 43–45,66,78
 in malnutrition, 187–189,193–197,207
 parenteral nutrition requirements, 175–183
 recommended dietary intake, 161
 zinc interactions, 61–62
- Copper deficiency
 biochemistry, 27–28
 clinical manifestations, 26–27
 diagnosis, 27
 etiology, 25–26
 failure to thrive, 3
 in human pregnancy, 145–147
 immune system effect, 94–96,102,104
 in malnutrition, 193–197,207
 neonates, and milk, 161–162
 parenteral nutrition, 176–177
 very-low-birth-weight infants, 7
- Copper/zinc ratio, 20,35,103,227
- Coronary disease, 29; *see also* Cardiomyopathy
- Cow's-milk-based formulas, 170
- 2',3'-Cyclic nucleotide 3'-phosphohydrolase, 27
- Cysteine, 47–48
- Cytochrome oxidase, 28
- Cytotoxicity, lymphocytes, 92
- D**
- Deficiency states, definition, 35–36,39, 117–118
- Dehydroisoeandrosterone sulfate, 210, 216,222
- Delayed cutaneous hypersensitivity, 91–92
- Deoxythymidine kinase, 22
- Depletion states, definition, 35–36,39, 117–118
- Dermatology, *see* Skin disease
- Diabetes, 28–29
- Diet
 lead exposure, 232–236
 and trace element bioavailability, 47–52,108–110
- Dietary fiber, 49–50
- DNA synthesis, and zinc, 22,93,122
- Dopamine- β -hydroxylase, 27
- Down's syndrome, 288
- Drinking water, lead, 234–235,260–261
- Dwarfism, 3,227
- E**
- Edema, 190
- Egyptian dwarfs, 227
- Embryo, 121–123
- Environmental factors, 8,108–110
- Environmental sources, lead, 236–239, 260
- Essential fatty acids, 131–132
- Ethiopians, 132–133
- Excretion, and homeostasis, 112
- Extrapolation method, 73–74
- Extrinsic isotope labels, 42–43,75–77,85
- F**
- Failure to thrive, 3
- Fatty acids, 131–132
- Fecal balance procedure, *see* Balance techniques
- Females, zinc deficiency, 126,133
- Ferritin, 200,205–206
- Fetal alcohol syndrome, 145
- Fetal development; *see also* Pregnancy
 copper deficiency, 147
 methyl mercury poisoning, 250–252
 zinc and manganese deficiencies, 121–123
 zinc effects, growth, 126,132
- Fiber, 49–50,60
- Fluoride, 158,161,163
- Folic acid, 145
- Food and Nutrition Board of the National Research Council, 159
- Food intake, 6
- Free-erythrocyte protoporphyrin test, 239–240
- Free radicals, 24–25,267–268
- G**
- Gene expression, 122
- Genetic factors, 127,226–227
- Genu valgum, 108
- Glucagon, 18
- Glucose tolerance, 29,165–167,263–264
- Glutamate pyruvate transaminase, 125, 130
- Glutathione peroxidase, 31,199,288–289
- Glutathione-S transferase, 289

Goiter, 291–299
 Gonads, and zinc, 18–19,22
 Granulocytes, zinc, 24,212–213,220–221
 Growth, and zinc, 3,11,18–19,126,132,
 191–192,206,213–215,220–227
 Growth rate, bioavailability measure, 45–46

H

Hair analysis
 chromium, 148,165
 copper, 146
 diagnostic status, 5,34–35,38
 selenium, 274–283
 zinc, 133–135,143,212–213
 Hearing loss, arsenic, 247
 Histidine, and zinc, 48
 Homeostatic regulation, 111–113
 Hospitalized populations, 8
 Human milk, *see* Breast milk
 Humoral immunity
 selenium-deficiency effect, 96
 zinc-deficiency effect, 92–93
 Hyderabad experience, 154
 Hydroxy radical, 268
 Hypercholesterolemia, 27
 Hypercupremia, 102,222,226
 Hyperzincuria, 18
 Hypogeusia, 19
 Hypogonadism, 18–19,22

I

Immune system, 87–105
 aboriginal boys, 225
 iron and zinc deficiency, 3
 neonatal zinc deficiency, 123
 trace element modulation, 87–105
 Immunoglobulins, 123
In utero exposure, *see* Fetal development
 Inborn errors, 8
 Indian childhood cirrhosis, 62
 Infant formulas, 157–174
 fortification issue, 14–15
 lead content, 260
 trace elements in, 157–174
 Infants
 isotope body content, 77–79
 methyl mercury exposure, 252
 Infection, 94,98–99,103,191
 Insulin resistance, 28–29
 Intergenerational effects, 123,131
 Intermediary metabolism, 110–111
 Intrinsic isotope label, 42–43
 Iodine, 291–299
 in human milk and formulas, 158,162
 physiology, nutrition, 291–292
 recommended dietary intake, 161,292,
 299

Iodine deficiency, 291–299
 diagnostic features, 1–2
 immune-system effects, 98,298
 infant-formula supplements issue, 14–15
 physiopathology, 291–299
 Iranian dwarfs, 227
 Iron
 bioavailability measurement, 47
 dietary component effects, 47–52
 in human milk and infant formulas, 158–160
 bioavailability, 159
 isotopes of, absorption, 43–45,63–85
 recommended dietary intake, infants, 161
 Iron deficiency
 diagnostic features, 1–2
 and formula fortification, 14
 in human milk, 158–160
 and malnutrition, 199–201
 Iron-deficiency anemia, 2–4,199–201
 Isotope-balance procedures, *see* Balance
 techniques
 Isotope labels, 44–45,63–85
 Itai-itai disease, 249

K

Keshan disease, 30,269–270,273–290
 Kidney damage, cadmium, 249
 Kwashiorkor, 193–198,200–201,205

L

Labor abnormalities, zinc, 139
 Lactation
 dietary intake, 149
 humans, trace elements, 137–155
 zinc requirements, 139
 Lead
 pediatric aspects, 229–261
 zinc interactions, 54
 Lead Paint Poison Prevention Act, 239
 Leaded gasoline, 235
 Lecithin/spingomyelin ratio, 122
 Leukocyte endogenous mediator, 24
 Leukocytes
 human pregnancy, zinc, 143
 zinc status, 36–38,143
 Lignin, 49–50
 Liver concentrations, malnutrition, 186–188
 Liver disease, zinc levels, 37–38
 Low birth weight, *see* Very low birth weight
 Lymph nodes, 88–89
 Lymphocyte transformation, zinc, 23
 Lymphocytes, zinc, 89–91,212–213,220–221
 Lymphoid tissue, 88–93

M

Magnesium
 immune-system effect, deficiency, 97
 whole-body isotope content, 78

- Malabsorption syndrome, 19
 Males, zinc deficiency, 126,133
 Malnutrition, 185-207
 Manganese, 264-266
 human lactation, 149
 in human milk and formulas, 158,163-164,172-173
 in malnutrition, 187-189
 parenteral nutrition requirements, 175-183
 recommended dietary intake, 161,164
 Manganese deficiency, 264-266
 iodine-deficiency interaction, 181-182
 iron interaction, 51-52
 and parenteral nutrition, 177-178
 in prenatal and neonatal development, 121-135,163
 Marasmus, 193-197
 Mass spectrometry, 67-68,82-83
 Massachusetts Institute of Technology (MIT) procedure, 79
 Meat effect, iron, 47
 Menkes' disease
 clinical manifestations, 26
 copper deficiency etiology, 25-26
 6-Mercaptopurine, 127
 Mercury, selenium complexing, 54
 Metabolism, 107-119
 Metallothionein, and copper, 61-62
 Methionine, 282,288-289
 Methyl mercury, 229-261
 Minamata disease, 251
 MIT procedure, *see* Massachusetts Institute of Technology procedure
 Mitochondriocuprein, 162
 Mitogens, zinc as, 93
 Molybdenum
 copper bioavailability effect, 54
 in human milk and formulas, 158,166
 in malnutrition, 201
 recommended dietary intake, infants, 161
 Molybdenum deficiency
 and absorption, anion form, 108
 CNS effects, 3
 Mucopolysaccharide synthesis, 122
 Muscle concentrations, 186-188,191-192
 Myelination, copper deficiency, 27
- N**
 National Health and Nutrition Examination Survey, 230
 Natural killer cells, 91-93
 Neonatal development
 iodine deficiency, 293-296,298-299
 zinc and manganese deficiency, 121-135
 Neurobehavioral effects, *see* Central nervous system
 Neutron activation analysis, 67
 Neutrophils
 zinc-analysis methods, 34-39
 zinc-deficiency effect, 20-21,93-94, 219-220
 New Zealand, selenium deficiency, 30
 Newborns, *see* Neonatal development
 Nickel, 266
 Norepinephrine levels, 27
 Nuclear magnetic resonance, 83-84
 Nucleoside phosphorylase, 23-24
 Nutrition, and homeostasis, 113
- O**
 Oligoelements, infant supplements, 14-15
 Otolith development, 122-123
 Oxalate, zinc effect, 51
- P**
 Paint, and lead, 236-239,259
 Parenteral nutrition
 chromium deficiency, 28
 trace element deficiency, 175-183
 zinc deficiency, 18,175-183
 Penicillamine
 copper deficiency, pregnancy, 147
 zinc deficiency, 18,20
 Phagocytosis
 selenium-deficiency effect, 96
 zinc-deficiency effect, 93-94
 Pharmacologic doses, zinc, 12-13
 Phenylalanine formulas, 7
 Phosphorus, 49
 Phytate, 51
 Picolinic acid, 160-161
 PIXE technique, 37,220
 Plasma membranes, zinc, 22
 Plasma zinc
 aboriginal boys, 212-213
 copper ratio, 20,35
 method evaluation, 13,35-36,118-119,130
 PIXE method, 36-37
 pregnant humans, 139,142-143,154
 pregnant rats, 118,122
 pregnant rhesus monkeys, 124-125
 and birth weight, 126
 Platelets, zinc effect, 22
 Positron-emission spectroradiography, 84
 Potassium, 78
 Pregnancy
 arsenic exposure effect, 247
 copper requirements, 146-147
 manganese deficiencies, 121-135
 and methyl mercury kinetics, 253
 and tissue catabolism, zinc, 125
 zinc deficiency, 20,121-135
 humans, 137-145
 zinc deprivation, monkeys, 124-135
 Premature infants; *see also* Very low birth weight
 infant formulas, zinc, 171-172

- isotope methods, 75-79
 parenteral nutrition requirements, 175-183
- Prenatal development**, 121-135
- Processed foods**, 9
- Prostaglandins**, 132
- Protein, dietary**, 47-48
- Proton-induced x-ray-emission technique**, 37,220
- R**
- Recommended dietary allowances**, 153-154,158-167
- Red blood cell zinc**, 212-213
- Renal damage, cadmium**, 249
- Retinol-binding protein**, 37,125-126,132-133
- S**
- Selenium**
 bioavailability measurement, 45-46,48
 dietary intake, infants, 172-174
 in human milk and formulas, 158,164-165,172-174
 in human pregnancy, 147-148,154-155
 immune-system effect, 95-97
 isotopes of, absorption studies, 43-45
 isotopic constitution, 66
 in malnutrition, 198-199
 recommended dietary intake, infants, 161
 trace element interactions, 54
 whole-body isotope content, 78-79
 zinc interactions, 104
- Selenium deficiency**
 biochemistry, 31,287
 cardiomyopathy, 4,30,269,283,289
 diagnosis, 31
 etiology and clinical features, 30,287
 human pregnancy, 147-148,154-155
 immune-system effect, 95-97
 zinc interactions, 104
 Keshan disease, 273-290
 and malnutrition, 198-199
 metabolic compensation, 114
- Selenomethionine**, 198-199,205-206
- Serum glutamate pyruvate transaminase**, 125,130
- Serum level measures; see also Plasma zinc**
 human pregnancy, zinc, 142-143
 unreliability, 119
- Sex differences**, 126,133
- Sexual maturation, zinc**, 3,216,222
- Sickle-cell disease**, 18-19
- Silicon**, 98,266-267
- Silver**
 copper bioavailability, 54
 selenium interactions, 54
- Skin disease**
 arsenic poisoning, 243-247
 zinc deficiency, 19
- Slope-ratio method**, 45-46
- Soy protein**
 and bioavailability, 47-48,60-61
 and iron absorption, 47
 zinc effect, 48,61
- Soya-based formulas**, 169-170
- Spina bifida**, 135
- Spleen, and zinc deficiency**, 88-89,123
- Stable isotopes**, 44-45,63-85
- Suckling mice, zinc**, 123
- Superoxide dismutase**, 196,205,265,288
- Swedish study**, 132-133
- Switzerland, iodine supplements**, 14-15
- Synthetic chelators**, 51
- T**
- T-lymphocytes**, 23,89,225
- Tannin**, 49-50
- Taste effects, zinc**, 4,19
- Testes, zinc-deficiency effect**, 18-19,22
- Thermal ionization/mass spectrometry**, 67-68,82-83
- Thymic hormone**, 95-96
- Thymidine kinase**, 21
- Thymus**
 copper-deficiency effect, 95-96
 zinc-deficiency effect, 23,88-89,123
- Thyroid function, iodine**, 293-294
- Thyrotropin (TSH)**, 293-299
- Time factors**
 developmental nutrition, 121
 trace element homeostasis, 112
- Tin, zinc metabolism**, 54
- Tissue concentrations**, 125,186-188
- Total parenteral nutrition, see Parenteral nutrition**
- Trace element deficiencies; see also specific elements**
 detection, 1-15
 diagnostic approaches, 17-39,118
 in early development, 121-135
 immune-system effect, 87-105
 interacting factors, 127-128
 and malnutrition, 185-207,209-225
 metabolism effects, 113-116
- Trace elements**
 bioavailability, 41-62
 in human milk and infant formulas, 157-174
 immune-system modulation, 87-105
 interaction effects, 51-55,60-61,127-128
 intermediary metabolism, 110-111
 metabolism and metabolic effects, 107-119
 parenteral nutrition requirements, 175-183
 stable isotope measures, 44-45,63-85
- Transformation, lymphocytes, zinc**, 23
- Transport proteins, zinc**, 13
- True absorption**, 42
- TSH, see Thyrotropin**

Turnover, stable-isotope measures, 77-80
Tyrosine hydroxylase, 28

U

Uterine fluid, zinc, 122

V

Very low birth weight
 copper-deficiency syndromes, 7
 infant formulas, zinc, 170-171
 parenteral requirements, 181
 zinc balance, 7-8
Vitamin A, and zinc, 125-126, 132-133, 227
Vitamin E
 Keshan disease, 281-284
 and selenium, immune system, 95-97
 and zinc, 24
Vitamins, and bioavailability, 48-49

W

Weight loss, 3
White blood cells, 34-39, 143, 189, 220
Whole-body content, 77-80
Wilson's disease, 147

Z

Zinc; *see also* Plasma zinc; Zinc supplements
 bioavailability measurement, 45-47
 copper interaction, 61-62
 dietary components effect, bioavailability, 47-51
 fecal excretion plots, 71-73
 in human milk and infant formulas, 158, 160-161, 169-171
 bioavailability, 160
 immune-system effects, 87-94, 101-102
 iron interactions, 52
 human pregnancy, 144-145
 isotopes of, absorption studies, 43-45, 78
 isotopic constitution, 66
 lactation, humans, 148-149
 in malnutrition, 187-193, 204-207
 parenteral nutrition requirements, 175-183

 pregnancy requirements, 139-140
 premature infant absorption, isotopes, 75-77
 recommended dietary intake, infants, 161
 tissue release of, 125
 trace element interactions, 52-54, 61-62
 whole-body isotope content, 78
Zinc/copper ratio, 20, 35, 103, 227
Zinc/creatinine ratio, 213, 220
Zinc deficiency
 aboriginal boys, 209-227
 biochemistry, 21-25
 clinical manifestations, 18-20
 versus depletion, definition, 35-36, 39, 117-118
 diagnostic features, 2, 11-14, 17-25
 etiology, 17-18
 growth and weight effects, 3, 5-6, 11, 18-19, 126, 132, 191-192, 206, 213-215, 220-227
 hair analysis, 133-135
 human pregnancy and lactation, 137-145
 immune-system effect, 87-94, 101-104, 225
 copper/selenium interactions, 104
 intergenerational effects, 123-131
 laboratory diagnosis, 20-21, 34-39
 morphological effects, 121-123, 131-132
 in neonatal development, 121-135
 occurrence, 13-14
 and parenteral nutrition, 176-177
 and plasma zinc, 13, 118-119
 pregnancy, 118
 pregnant rhesus monkeys, 124-135
 in prenatal development, 121-135
 teratogenic effects, humans, 138-139
 very-low-birth-weight infants, 7
Zinc sulfate, 92, 101-102
Zinc supplements
 and food intake, 6
 and growth, 5-6, 11-12
 human pregnancy, 144, 154-155
 physiologic versus pharmacologic doses, 12-13
 serum-level effects, malnutrition, 207
 skin treatment, malnutrition, 190-193
Zinc-tolerance test, 21